

## Safety Data Sheet

### KERAPOXY comp.A

Safety Data Sheet dated: 11/10/2024 - version 6



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: KERAPOXY comp.A

Trade code: 90459990

UFI: 68Y7-MOCT-S001-R891

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Acid-resistant epoxy grout and adhesive for ceramic tiles

Uses advised against: Data not available.

### 1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel. +(39)02376731 (office hours) - Fax: +39-02-37673.214 - [www.mapei.it](http://www.mapei.it)

Responsable: [sicurezza@mapei.it](mailto:sicurezza@mapei.it)

### 1.4. Emergency telephone number

Centro antiveleni, Azienda ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, via Antonio Cardarelli 9, Napoli - Tel. 081 5453333

Centro antiveleni, Azienda ospedaliera universitaria Careggi, U.O. Tossicologia medica, via Largo Brambilla 3, Firenze - Tel. 055 7947819

Centro antiveleni, Centro nazionale d'informazione tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica del lavoro e della riabilitazione, via Salvatore Maugeri 10, Pavia - Tel. 0382 24444

Centro antiveleni, Azienda ospedaliera Niguarda Ca' Granda, piazza Ospedale Maggiore 3, Milano - Tel. 02 66101029

Centro antiveleni, Azienda ospedaliera "Papa Giovanni XXIII", Tossicologia clinica, Dipartimento di farmacia clinica e farmacologia, piazza OMS 1, Bergamo - Tel. 800 883300

Centro antiveleni Policlinico "Umberto I", PRGM tossicologia d'urgenza, viale del Policlinico 155, Roma - Tel. 06 49978000

Centro antiveleni del Policlinico "Agostino Gemelli", Servizio di tossicologia clinica, largo Agostino Gemelli 8, Roma - Tel. 06 3054343

Centro antiveleni, Azienda ospedaliera universitaria Riuniti, viale Luigi Pinto 1, Foggia - Tel. 800 183459

Centro antiveleni, Ospedale pediatrico Bambino Gesù, Dipartimento emergenza e accettazione DEA, piazza Sant'Onofrio 4, Roma - Tel. 06 68593726

Centro antiveleni dell'Azienda ospedaliera universitaria integrata (AOUI) di Verona sede di Borgo Trento, piazzale Aristide Stefani, 1 - 37126 Verona - Tel. 800 011858

## SECTION 2: Hazards identification



### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

Skin Irrit. 2

Causes skin irritation.

Eye Irrit. 2

Causes serious eye irritation.

Skin Sens. 1A

May cause an allergic skin reaction.

Aquatic Chronic 3

Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

#### Regulation (EC) No 1272/2008 (CLP):

#### Hazard pictograms and Signal Word



Warning

#### Hazard statements

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements

- P261 Avoid breathing mist/vapours/spray.
- P264 Wash skin thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/clothing and eye/face protection.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.

Special Provisions:

- EUH205 Contains epoxy constituents. May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Contains

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: No other hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This preparation contains low molecular weight epoxy resins. Cross sensitisation to other epoxies is possible. Avoid also exposure to spray mist and vapour.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Relevant

3.2. Mixtures

Mixture identification: KERAPOXY comp.A

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty          | Name   | Ident. Numb.   | Classification  | Registration Number   |
|--------------|--|--|---|-----------------------|
| ≥50 - <75 %  | silica sand  | CAS:14808-60-7<br>EC:238-878-4                                     | Substance with a Union workplace exposure limit.  |                       |
| ≥10 - <20 %  | bis-[4-(2,3-epoxipropoxy)phenyl]propane  | CAS:1675-54-3,<br>25085-99-8<br>EC:216-823-5<br>Index:603-073-00-2 | Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411<br><br>Specific Concentration Limits:<br>C ≥ 5%: Skin Irrit. 2 H315<br>C ≥ 5%: Eye Irrit. 2 H319 | 01-2119456619-26-XXXX |
| ≥1 - <2.5 %  | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol                                   | CAS:9003-36-5<br>EC:701-263-0                                      | Skin Irrit. 2, H315; Aquatic Chronic 2, H411; Skin Sens. 1, H317  | 01-2119454392-40-XXXX |
| ≥0.49 - <1 % | Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | CAS:1065336-91-5<br>EC:915-687-0                                   | Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Repr. 2, H361f   | 01-2119491304-40-XXXX |

|   |  |
|---|--|
| ≥0.49 - <1 free crystalline silica (Ø <10 µ)<br>%                 | CAS:14808-60-7 STOT RE 1, H372<br>EC:238-878-4   |
| ≥0.49 - <1 Phenol, styrenated<br>%                                | CAS:61788-44-1 Aquatic Chronic 2, H411; Aquatic<br>EC:262-975-0 Acute 1, H400 01-2119979575-18-xxxx                                  |
| ≥0.1 - oxirane, mono[(C12-14-<br><0.25 % alkyloxy)methyl] derivs. | CAS:68609-97-2 Skin Irrit. 2, H315; Skin Sens. 1B, 01-2119485289-22-XXXX<br>EC:271-846-8 H317; Repr. 1B, H360F<br>Index:603-103-00-4 |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non emergency personnel:**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

**For emergency responders:**

Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

### 6.4. Reference to other sections

See also section 8 and 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Advice on general occupational hygiene:

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Community Occupational Exposure Limits (OEL)

|                                | OEL Type | Country                 | Occupational Exposure Limit  |
|--------------------------------|----------|-------------------------|--|
| silica sand<br>CAS: 14808-60-7 | ACGIH    |                         | Long Term: 0.025 mg/m3<br>A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis |
|                                |          | National AUSTRALIA      | Long Term: 0.05 mg/m3  |
|                                |          | National BELGIUM        | Long Term: 0.1 mg/m3   |
|                                |          | National BULGARIA       | Long Term: 0.07 mg/m3  |
|                                |          | National CROATIA        | Long Term: 0.1 mg/m3   |
|                                |          | National CZECH REPUBLIC | Long Term: 0.1 mg/m3   |
|                                |          | National DENMARK        | Long Term: 0.3 mg/m3<br>DENMARK, inhalable aerosol inhalable aerosol                     |
|                                |          | National DENMARK        | Long Term: 0.1 mg/m3<br>DENMARK, respirable aerosol respirable aerosol                   |
|                                |          | National DENMARK        | Long Term: 0.3 mg/m3   |
|                                |          | National DENMARK        | Long Term: 0.1 mg/m3   |
|                                |          | National ESTONIA        | Long Term: 0.1 mg/m3   |
|                                |          | National FINLAND        | Long Term: 0.05 mg/m3  |
|                                |          | National FRANCE         | Long Term: 0.1 mg/m3   |
|                                |          | SUVA GERMANY            | Long Term: 0.15 mg/m3<br>50 µg/m³ (Partikel Durchmesser < 12 µm ) - TRGS 906             |
|                                |          | National HUNGARY        | Long Term: 0.15 mg/m3  |
|                                |          | National LITHUANIA      | Long Term: 0.1 mg/m3   |
|                                |          | Malaysi a OEL MALAYSIA  | Long Term: 0.1 mg/m3<br>0.1 mg/m3 TWA (respirable dust)                                  |

|  |                |  |
|--|----------------|--|
| NDS S  | NETHERLAND     | Long Term: 0.075 mg/m3   |
| National   | NORWAY         | Long Term: 0.3 mg/m3<br>Totalstøv (total dust); K: Kjemikalier som skal betraktes som kreftfremkallende. (K: Chemicals to be treated as carcinogenic.)   |
| ACGIH  |                | Long Term: 0.025 mg/m3<br>(R), A2 - Pulm fibrosis, lung cancer   |
| NDS  | POLAND         | Long Term: 0.1 mg/m3   |
| National   | PORTUGAL       | Long Term: 0.025 mg/m3   |
| National   | ROMANIA        | Long Term: 0.1 mg/m3   |
| National   | SLOVAKIA       | Long Term: 0.1 mg/m3; Short Term: 0.5 mg/m3  |
| National   | SLOVENIA       | Long Term: 0.1 mg/m3   |
| National   | SPAIN          | Long Term: 0.05 mg/m3  |
| National   | SWEDEN         | Long Term: 0.1 mg/m3   |
| National   | SWITZERLAND    | Long Term: 0.15 mg/m3  |
| EU   |                | Long Term: 0.1 mg/m3<br>Behaviour Binding  |
| free crystalline silica (Ø <10 µ)<br>CAS: 14808-60-7 | ACGIH          | Long Term: 0.025 mg/m3<br>A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis   |
| National   | ARGENTINA      | Long Term: 0.05 mg/m3  |
| National   | AUSTRALIA      | Long Term: 0.1 mg/m3   |
| National   | AUSTRIA        | Long Term: 0.15 mg/m3<br>A*  |
| National   | BELGIUM        | Long Term: 0.1 mg/m3   |
| National   | BULGARIA       | Long Term: 0.07 mg/m3  |
| National   | CROATIA        | Long Term: 0.1 mg/m3   |
| National   | CZECH REPUBLIC | Long Term: 0.1 mg/m3   |
| National   | DENMARK        | Long Term: 0.1 mg/m3; Short Term: 0.2 mg/m3<br>Respirabel fraktion, respirable fraction<br>E: Stoffet har en EU-grænseværdi.<br>K: Stoffet anses for at kunne være kræftfremkaldende.                  |
| National   | DENMARK        | Long Term: 0.3 mg/m3; Short Term: 0.6 mg/m3<br>Total dust  |
| National   | ESTONIA        | Long Term: 0.1 mg/m3   |
| National   | FINLAND        | Long Term: 0.05 mg/m3<br>Respirabel fraktion. Respirable fraction  |
| National   | FRANCE         | Long Term: 0.1 mg/m3   |
| National   | HUNGARY        | Long Term: 0.15 mg/m3  |
| National   | ITALY          | Long Term: 0.1 mg/m3   |
| National   | LITHUANIA      | Long Term: 0.1 mg/m3   |
| Malaysi a OEL  | MALAYSIA       | Long Term: 0.1 mg/m3<br>0.1 mg/m3 TWA (respirable dust)  |
| NDS S  | NETHERLAND     | Long Term: 0.075 mg/m3   |
| National   | NORWAY         | Long Term: 0.3 mg/m3<br>Totalstøv (total dust);<br>K: Kjemikalier som skal betraktes som kreftfremkallende.  |
| National   | NORWAY         | Long Term: 0.05 mg/m3<br>Respirabelt støv (respirable dust);<br>K: Kjemikalier som skal betraktes som kreftfremkallende.<br>G: EU har fastsatt en bindende grenseverdi og/eller anmerkning av stoffet. |
| ACGIH  |                | Long Term: 0.025 mg/m3<br>(R), A2 - Pulm fibrosis, lung cancer   |

|          |          |  |
|----------|----------|--|
| EU       |          | Long Term: 0.025 mg/m3<br>A2 (R) - Pulm fibrosis, lung cancer  |
| NDS      | POLAND   | Long Term: 0.1 mg/m3   |
| National | PORTUGAL | Long Term: 0.025 mg/m3   |
| National | ROMANIA  | Long Term: 0.1 mg/m3   |
| National | SLOVAKIA | Long Term: 0.1 mg/m3; Short Term: 0.5 mg/m3  |
| National | SLOVENIA | Long Term: 0.1 mg/m3   |
| National | SPAIN    | Long Term: 0.05 mg/m3  |
| National | SWEDEN   | Long Term: 0.1 mg/m3<br>Respirabel fraktion. Respirable fraction<br>C: Ämnet är cancerframkallande.<br>M: Medicinska kontroller. |

#### Predicted No Effect Concentration (PNEC) values

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol  
CAS: 9003-36-5

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l  
Exposure Route: Fresh Water; PNEC Limit: 0.003 mg/l  
Exposure Route: Freshwater sediments; PNEC Limit: 0.294 mg/kg  
Exposure Route: Marine water; PNEC Limit: 0.0003 mg/l  
Exposure Route: Marine water sediments; PNEC Limit: 0.0294 mg/kg  
Exposure Route: Soil; PNEC Limit: 0.237 mg/kg

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate  
CAS: 1065336-91-5

Exposure Route: Fresh Water; PNEC Limit: 0.0022 mg/l  
Exposure Route: Marine water; PNEC Limit: 0.00022 mg/l  
Exposure Route: Freshwater sediments; PNEC Limit: 1.05 mg/kg  
Exposure Route: Marine water sediments; PNEC Limit: 0.11 mg/kg  
Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1 mg/l  
Exposure Route: Soil; PNEC Limit: 0.21 mg/kg  
Exposure Route: Intermittent release; PNEC Limit: 0.009 mg/l

Phenol, styrenated  
CAS: 61788-44-1

Exposure Route: Fresh Water; PNEC Limit: 0.001 mg/l  
Exposure Route: Marine water sediments; PNEC Limit: 65778 mg/kg  
Exposure Route: Freshwater sediments; PNEC Limit: 65778 mg/kg  
Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 0.17 mg/l  
Exposure Route: Soil; PNEC Limit: 31525 mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.  
CAS: 68609-97-2

Exposure Route: Marine water; PNEC Limit: 0.00072 mg/l

Exposure Route: Fresh Water; PNEC Limit: 0.0072 mg/l  
Exposure Route: Freshwater sediments; PNEC Limit: 66.77 mg/kg  
Exposure Route: Marine water sediments; PNEC Limit: 6.677 mg/kg  
Exposure Route: Soil; PNEC Limit: 80.12 mg/kg  
Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l

#### Derived No Effect Level (DNEL) values

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate  
CAS: 1065336-91-5

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects  
Consumer: 0.18 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Worker Industry: 1.27 mg/m<sup>3</sup>; Consumer: 0.31 mg/m<sup>3</sup>

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects  
Worker Industry: 1.8 mg/kg; Consumer: 0.9 mg/kg

Phenol, styrenated  
CAS: 61788-44-1

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Worker Industry: 11.02 mg/m<sup>3</sup>; Consumer: 2.717 mg/m<sup>3</sup>

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects  
Worker Industry: 6.25 mg/kg; Consumer: 3.125 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects  
Consumer: 1.562 mg/kg

## 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness  $\geq 0,5$ mm; breakthrough time  $\geq 480$ min.

Nitrile rubber - NBR: thickness  $\geq 0,35$ mm; breakthrough time  $\geq 480$ min.

Butyl rubber - IIR: thickness  $\geq 0,5$ mm; breakthrough time  $\geq 480$ min.

Fluorinated rubber - FKM: thickness  $\geq 0,4$ mm; breakthrough time  $\geq 480$ min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

In case of insufficient ventilation use mask with ABEKP filters (EN 14387).

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Appearance: paste

Colour: various

Odour: Characteristic

Odour threshold: Not available

Melting point/freezing point: Not available

Boiling point or initial boiling point and boiling range: Not available

Flammability: N.A.

Lower and upper explosion limit: Lower and upper explosion limit: Not available

Flash point: Not available

Auto-ignition temperature: Not available

Decomposition temperature: Not available

pH: Not Relevant

Viscosity: 2,000,000.00 cPs

Kinematic viscosity: Not available

Solubility in water: Insoluble

Solubility in oil: soluble

Partition coefficient n-octanol/water (log value): Not available

Vapour pressure: 0.01

Density and/or relative density: 1.65 g/cm<sup>3</sup>

Relative vapour density: Not available

**Particle characteristics:**

Particle size: Not available

### 9.2. Other information

Miscibility: Not available  
Conductivity: Not available  
Explosive properties: ==  
No other relevant information

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None.

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

---

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicological Information of the Preparation

|                                      |  |
|--------------------------------------|--|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | The product is classified: Skin Irrit. 2(H315)                                     |
| c) serious eye damage/irritation     | The product is classified: Eye Irrit. 2(H319)                                      |
| d) respiratory or skin sensitisation | The product is classified: Skin Sens. 1A(H317)                                     |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified<br>Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified<br>Based on available data, the classification criteria are not met |
| h) STOT-single exposure              | Not classified<br>Based on available data, the classification criteria are not met |
| i) STOT-repeated exposure            | Not classified<br>Based on available data, the classification criteria are not met |
| j) aspiration hazard                 | Not classified<br>Based on available data, the classification criteria are not met |

#### Toxicological information on main components of the mixture:

|  |                              |  |
|--|------------------------------|--|
| silica sand  | a) acute toxicity            | LD50 Oral > 2000 mg/kg<br>LD50 Skin > 2000 mg/kg               |
|  |                              |  |
| bis-[4-(2,3-epoxipropoxy)phenyl]<br>propane  | a) acute toxicity            | LD50 Skin Rabbit = 20 mg/kg<br><br>LD50 Oral Rat = 11300 µL/kg |
|  |                              |  |
| Formaldehyde, oligomeric<br>reaction products with 1-<br>chloro-2,3-epoxypropane<br>and phenol | a) acute toxicity            | LD50 Oral Rat > 5000 mg/kg<br><br>LD50 Skin Rat > 2000 mg/kg   |
|  | i) STOT-repeated<br>exposure | NOAEL Oral = 250 mg/kg   |
| Reaction mass of   | a) acute toxicity            | LD50 Oral Rat = 3230 mg/kg                                     |



Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

LD50 Skin Rat > 3170 mg/kg

free crystalline silica (Ø <10 µ) a) acute toxicity

LD50 Oral Rat = 500 mg/kg

Phenol, styrenated a) acute toxicity

LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rat > 2000 mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs. a) acute toxicity

LD50 Oral Rat = 19200 mg/kg

LD50 Skin Rabbit = 4000 mg/kg

## 11.2. Information on other hazards

### Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

### List of Eco-Toxicological properties of the components

| Component  | Ident. Numb.   | Ecotox Data  |
|--|--|--|
| bis-[4-(2,3-epoxipropoxy)phenyl]propane  | CAS: 1675-54-3, 25085-99-8 - EINECS: 216-823-5 - INDEX: 603-073-00-2 | a) Aquatic acute toxicity : LC50 Fish = 2 mg/L 96h   |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol                                   | CAS: 9003-36-5 - EINECS: 701-263-0                                   | a) Aquatic acute toxicity : EC50 Daphnia = 1.8 mg/L 48h<br>a) Aquatic acute toxicity : LC50 Fish = 5.7 mg/L 96h  |
| Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | CAS: 1065336-91-5 - EINECS: 915-687-0                                | a) Aquatic acute toxicity : EC50 Daphnia = 2.55 mg/L 48h<br>a) Aquatic acute toxicity : EC50 Algae = 1.8 mg/L 72h<br>a) Aquatic acute toxicity : LC50 Fish = 0.9 mg/L 96h        |
| Phenol, styrenated   | CAS: 61788-44-1 - EINECS: 262-975-0                                  | a) Aquatic acute toxicity : EC50 Algae = 1.68 mg/L 72h<br>b) Aquatic chronic toxicity : NOEC Daphnia = 1 mg/L 21d<br>a) Aquatic acute toxicity : EC50 Daphnia = 4.6 mg/L 48 ECHA |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs.   | CAS: 68609-97-2 - EINECS: 271-846-8 - INDEX: 603-103-00-4            | a) Aquatic acute toxicity : LC50 Fish = 5.6 mg/L 96h ECHA<br>a) Aquatic acute toxicity : LC50 Fish > 100 mg/L 96h  |
|  |  | a) Aquatic acute toxicity : EL50 Daphnia = 7.2 mg/L 48h<br>a) Aquatic acute toxicity : EC50 Algae = 843 mg/L 72h   |

**12.2. Persistence and degradability**

| Component  | Persistence/Degradability: |
|--|----------------------------|
| Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | Non-readily biodegradable  |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs.   | Readily biodegradable      |

**12.3. Bioaccumulative potential**

| Component                                      | Bioaccumulation     |
|--|---------------------|
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | Not bioaccumulative |

**12.4. Mobility in soil**

N.A.

**12.5. Results of PBT and vPvB assessment**No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$ **12.6. Endocrine disrupting properties**No endocrine disruptor substances present in concentration  $\geq 0.1\%$ **12.7. Other adverse effects**

Not available

---

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

**SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

**14.1. UN number or ID number**

Not Applicable

**14.2. UN proper shipping name**

Not Applicable

**14.3. Transport hazard class(es)**

Not Applicable

**14.4. Packing group**

Not Applicable

**14.5. Environmental hazards**

Not Applicable

**14.6. Special precautions for user**

Not Applicable

Road and Rail (ADR-RID):

ADR-Hazard identification number: NA

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

#### **14.7. Maritime transport in bulk according to IMO instruments**

Not Applicable

---

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

None

#### **Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:**

Restrictions related to the product: 3

Restrictions related to the substances contained: 75

#### **SVHC Substances:**

SVHC substances not present in a concentration  $\geq 0.1\%$  (w/w)

#### **National regulations**

Produktregisteret Norge: 52927

Produktregister Danmark: 4110777

MAL-kode: 00-5 (1993) A+B: 00-5 (1993)

Lagerklasse (TRGS-510): 12 - Non-combustible liquids, that cannot be assigned to any of the aforementioned LGK

#### **German Water Hazard Class.**

2

**Regulation (UE) 2019/1148 (Explosive precursors):** No substances contained

**Regulation (CE) 273/2004 and 111/2005 (Drug precursors):** No substances contained

#### **15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out for the mixture.

---

### **SECTION 16: Other information**

| <b>Code</b> | <b>Description</b>      |
|-------------|-------------------------|
| H315        | Causes skin irritation. |

|       |   |
|-------|---|
| H317  | May cause an allergic skin reaction.                            |
| H319  | Causes serious eye irritation.                                  |
| H360F | May damage fertility.   |
| H361f | Suspected of damaging fertility.                                |
| H372  | Causes damage to organs through prolonged or repeated exposure. |
| H400  | Very toxic to aquatic life.                                     |
| H410  | Very toxic to aquatic life with long lasting effects.           |
| H411  | Toxic to aquatic life with long lasting effects.                |
| H412  | Harmful to aquatic life with long lasting effects.              |

| Code     | Hazard class and hazard category | Description  |
|----------|----------------------------------|--|
| 3.2/2    | Skin Irrit. 2                    | Skin irritation, Category 2                                    |
| 3.3/2    | Eye Irrit. 2                     | Eye irritation, Category 2                                     |
| 3.4.2/1  | Skin Sens. 1                     | Skin Sensitisation, Category 1                                 |
| 3.4.2/1A | Skin Sens. 1A                    | Skin Sensitisation, Category 1A                                |
| 3.4.2/1B | Skin Sens. 1B                    | Skin Sensitisation, Category 1B                                |
| 3.7/1B   | Repr. 1B                         | Reproductive toxicity, Category 1B                             |
| 3.7/2    | Repr. 2                          | Reproductive toxicity, Category 2                              |
| 3.9/1    | STOT RE 1                        | Specific target organ toxicity — repeated exposure, Category 1 |
| 4.1/A1   | Aquatic Acute 1                  | Acute aquatic hazard, category 1                               |
| 4.1/C1   | Aquatic Chronic 1                | Chronic (long term) aquatic hazard, category 1                 |
| 4.1/C2   | Aquatic Chronic 2                | Chronic (long term) aquatic hazard, category 2                 |
| 4.1/C3   | Aquatic Chronic 3                | Chronic (long term) aquatic hazard, category 3                 |

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Classification according to Regulation (EC) Nr. 1272/2008      Classification procedure**

|                         |                    |
|-------------------------|--------------------|
| Skin Irrit. 2, H315     | Calculation method |
| Eye Irrit. 2, H319      | Calculation method |
| Skin Sens. 1A, H317     | Calculation method |
| Aquatic Chronic 3, H412 | Calculation method |

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report  
 DMEL: Derived Minimal Effect Level  
 DNEL: Derived No Effect Level.  
 DPD: Dangerous Preparations Directive  
 DSD: Dangerous Substances Directive  
 EC50: Half Maximal Effective Concentration  
 ECHA: European Chemicals Agency  
 EINECS: European Inventory of Existing Commercial Chemical Substances.  
 ES: Exposure Scenario  
 GefStoffVO: Ordinance on Hazardous Substances, Germany.  
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
 IARC: International Agency for Research on Cancer  
 IATA: International Air Transport Association.  
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
 IC50: half maximal inhibitory concentration  
 ICAO: International Civil Aviation Organization.  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
 IMDG: International Maritime Code for Dangerous Goods.  
 INCI: International Nomenclature of Cosmetic Ingredients.  
 IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
 KAFH: KAFH  
 KSt: Explosion coefficient.  
 LC50: Lethal concentration, for 50 percent of test population.  
 LD50: Lethal dose, for 50 percent of test population.  
 LDLo: Leathal Dose Low  
 N.A.: Not Applicable  
 N/A: Not Applicable  
 N/D: Not defined/ Not available  
 NA: Not available  
 NIOSH: National Institute for Occupational Safety and Health  
 NOAEL: No Observed Adverse Effect Level  
 OSHA: Occupational Safety and Health Administration  
 PBT: Persistent, Bioaccumulative and Toxic  
 PGK: Packaging Instruction  
 PNEC: Predicted No Effect Concentration.  
 PSG: Passengers  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
 STEL: Short Term Exposure limit.  
 STOT: Specific Target Organ Toxicity.  
 TLV: Threshold Limiting Value.  
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
 vPvB: Very Persistent, Very Bioaccumulative.  
 WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 5: Firefighting measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 15: Regulatory information
- SECTION 16: Other information